



Skirting boards PVC Line

Application

PVC Line is a range of skirting boards and covers in expanded PVC, resistant to impacts. Their user-friendly simplicity makes them particularly suited for do-it-yourself projects. Certain models can be laid down with the proper adhesives (such as PP/86) or with a simple interlocking system with spring steel clips fixed to the wall with screws and dowels.

The PVC series line comes in numerous colors, from blending stains to wood finishes, in order to satisfy any need and combination with the widest selection of flooring types.

Besides the decorative function, these products fully satisfy the general technical specifications since they conceal the perimeter expansion space in most laid floating floors.

Certain models have special components available for attachments when connecting, acting as: external angles, internal angles, terminals and cover trims; rendering the finish uniform and linear.

Materials

PVC Foam

Compound PVC vinyl foam lead-free, self-extinguishing. Stabilized eco-compatible salt-based Ca-Zn.

PVC Co-extrude - Rigid/Plasticized

Compound of rigid PVC vinyl lead-free, shock-resistant, self-extinguishing. Stabilized eco-compatible salt-based Ca-Zn.

Compound PVC vinyl plasticized lead-free, self-extinguishing. Stabilized eco-compatible salt-based Ca-Zn.

PVC Co-extrude - Foam/Plasticized

Compound PVC vinyl foam lead-free, self-extinguishing. Stabilized eco-compatible salt-based Ca-Zn.

Compound vinilico di PVC plastificato esente da piombo, autoestinguente. Stabilizzato eco-compatibile a base di sali Ca-Zn.

Laying

Laying instructions using Adhesives Type PP/86

Take the skirting board out of the packaging.

Remove, wherever present, the protection (protective and/or thermo-shrink film) of the product's finish.

Measure and cut the skirting board to the required length with the proper tools.

Verifying that the laying area is perfectly clean and then place the skirting board, now cut to measure, in the correct position, fixing it to the wall with the appropriate adhesive (type PP/86).

Keep sufficiently even pressure for a few minutes on the entire length of the skirting board in order to ensure sufficient adhesion to the laying surface.

Laying instructions with spring steel clips

Take the skirting board out of the packaging.

Remove, wherever present, the protection (protective and/or thermo-shrink film) of the product's finish.

Measure and cut the skirting board to the required length with the proper tools.

Put the spring steel supports to the wall taking care that their bases adhere to the floor.

Sign on the wall, in correspondence to the hole of the support, the exact position where to drill with indelible ink (we recommend the support fixing on the wall every 40 cm)

Remove the supports and proceed with the drill of the wall in the exact previously signed positions, checking the length of dowels and screws to be used.

Put the dowels on the holes, reposition the supports in parallel with the holes and fix them to the wall with special screws.

Put the skirting board, previously cut in the required length, in the correct position and hook it to the supports pushing it till the complete fitting and alignment to the wall, making sure in advance that the area where the skirting boards is laid , is perfectly clean.

Care and maintenance

PVC

These need no particular maintenance and are easily cared for with colorless alcohol diluted in water or with normal detergents, though not acid-based products, also diluted in water; rinse thoroughly when finished with water only.

Use a sponge and/or non-abrasive cloth to prevent scratches and/or damage to the surface.

Fire Control Measures

In case of fire, extinguish with fire-fighting chemical products, dry sand or solid fire-extinguishing agents.


NOTE

These profiles must be handled with care, taking the necessary steps to use suitable gloves to prevent wounds such as cuts to the hand.

All indications and instructions here have come from our own experience to be understood as purely informative and will have to be confirmed through exhaustive practical experience.


Profilpas will not be held responsible for any personal injury or material damage from improper use of the product.

The user is responsible for establishing whether the product is suitable for the task and likewise must assume all responsibility for incorrect laying of material.





Profile

Article 8600		
Length [cm] 200		
PVC Foam		
	Decor 518	29762
	Decor 520	29764
	Decor 524	29766
	Decor 528	29770
	Decor 530	29772
	Decor 531	29774
	Decor 532	29776
	Decor 533	29778
	Decor 534	29780
	Decor 536	29782
	Decor 540	29784
	Decor 542	29786
	Decor 544	29788
	Decor 545	29790
	Decor 555	29792
	Decor 556	29794
	Decor 557	29796
	Decor 558	29798



Profile

	Article	8610	8611
		Length [cm]	300
	PVC Foam		
	Decor 518	29810	29910
	Decor 520	29812	
	Decor 524	29814	
	Decor 528	29818	
	Decor 530	29820	
	Decor 531	29822	
	Decor 532	29824	29924
	Decor 533	29826	
	Decor 534	29828	
	Decor 536	29830	
	Decor 540	29832	
	Decor 542	29834	29934
	Decor 544	29836	
	Decor 545	29838	29938
	Decor 555	29840	29940
	Decor 556	29842	29942
	Decor 557	29844	29944
	Decor 558	29846	





Profile

Article 8602		
Length [cm] 250		
PVC Foam		
	Decor 518	29502
	Decor 520	29504
	Decor 524	29505
	Decor 528	29508
	Decor 530	29510
	Decor 531	29512
	Decor 532	29514
	Decor 533	29516
	Decor 534	29518
	Decor 536	29520
	Decor 540	29522
	Decor 542	29524
	Decor 544	29526
	Decor 545	29528
	Decor 555	29530
	Decor 556	29532
	Decor 557	29534

Fixing clip

Article 8602/C	
Without holes	
Spring Steel	




Inside corner

	Article	8602/I
Polypropylene		
	Decor 518	29550
	Decor 520	29552
	Decor 524	29553
	Decor 528	29556
	Decor 530	29558
	Decor 531	29560
	Decor 532	29562
	Decor 533	29564
	Decor 534	29566
	Decor 536	29568
	Decor 540	29570
	Decor 542	29572
	Decor 544	29574
	Decor 545	29576
	Decor 555	29578
	Decor 556	29580
	Decor 557	29582



Junction


	Article	8602/G
Polypropylene		
	Decor 518	29650
	Decor 520	29652
	Decor 524	29653
	Decor 528	29656
	Decor 530	29658
	Decor 531	29660
	Decor 532	29662
	Decor 533	29664
	Decor 534	29666
	Decor 536	29668
	Decor 540	29670
	Decor 542	29672
	Decor 544	29674
	Decor 545	29676
	Decor 555	29678
	Decor 556	29680
	Decor 557	29682

Outside corner

	Article	8602/E
	Polypropylene	
	Decor 518	29600
	Decor 520	29602
	Decor 524	29603
	Decor 528	29606
	Decor 530	29608
	Decor 531	29610
	Decor 532	29612
	Decor 533	29614
	Decor 534	29616
	Decor 536	29618
	Decor 540	29620
	Decor 542	29622
	Decor 544	29624
	Decor 545	29626
	Decor 555	29628
	Decor 556	29630
	Decor 557	29632

Right/Left end cap

	Article	8602/P
	Polypropylene	
	Decor 518	29700
	Decor 520	29702
	Decor 524	29703
	Decor 528	29706
	Decor 530	29708
	Decor 531	29710
	Decor 532	29712
	Decor 533	29714
	Decor 534	29716
	Decor 536	29718
	Decor 540	29720
	Decor 542	29722
	Decor 544	29724
	Decor 545	29726
	Decor 555	29728
	Decor 556	29730
	Decor 557	29732





Profile

Article 8603		
Length [cm] 250		
PVC Foam		
	Decor 518	30130
	Decor 520	30132
	Decor 524	30134
	Decor 528	30138
	Decor 530	30140
	Decor 531	30142
	Decor 532	30144
	Decor 533	30146
	Decor 534	30148
	Decor 536	30150
	Decor 540	30152
	Decor 542	30154
	Decor 544	30156
	Decor 545	30158
	Decor 555	30160
	Decor 556	30162
	Decor 557	30164

Fixing clip

Article 8602/C	
Without holes	
Spring Steel	




Inside corner

	Article	8603/I
Polypropylene		
	Decor 518	30180
	Decor 520	30182
	Decor 524	30184
	Decor 528	30188
	Decor 530	30190
	Decor 531	30192
	Decor 532	30194
	Decor 533	30196
	Decor 534	30198
	Decor 536	30200
	Decor 540	30202
	Decor 542	30204
	Decor 544	30206
	Decor 545	30208
	Decor 555	30210
	Decor 556	30212
	Decor 557	30214



Junction


	Article	8603/G
Polypropylene		
	Decor 518	30280
	Decor 520	30282
	Decor 524	30284
	Decor 528	30288
	Decor 530	30290
	Decor 531	30292
	Decor 532	30294
	Decor 533	30296
	Decor 534	30298
	Decor 536	30300
	Decor 540	30302
	Decor 542	30304
	Decor 544	30306
	Decor 545	30308
	Decor 555	30310
	Decor 556	30312
	Decor 557	30314

Outside corner

	Article	8603/E
	Polypropylene	
	Decor 518	30230
	Decor 520	30232
	Decor 524	30234
	Decor 528	30238
	Decor 530	30240
	Decor 531	30242
	Decor 532	30244
	Decor 533	30246
	Decor 534	30248
	Decor 536	30250
	Decor 540	30252
	Decor 542	30254
	Decor 544	30256
	Decor 545	30258
	Decor 555	30260
	Decor 556	30262
	Decor 557	30264

Right/Left end cap

	Article	8603/P
	Polypropylene	
	Decor 518	30330
	Decor 520	30332
	Decor 524	30334
	Decor 528	30338
	Decor 530	30340
	Decor 531	30342
	Decor 532	30344
	Decor 533	30346
	Decor 534	30348
	Decor 536	30350
	Decor 540	30352
	Decor 542	30354
	Decor 544	30356
	Decor 545	30358
	Decor 555	30360
	Decor 556	30362
	Decor 557	30364





Profile

Article 8607		
Length [cm] 250		
PVC Foam		
	Decor 518	30400
	Decor 520	30402
	Decor 524	30404
	Decor 528	30408
	Decor 530	30410
	Decor 531	30412
	Decor 532	30414
	Decor 533	30416
	Decor 534	30418
	Decor 536	30420
	Decor 540	30422
	Decor 542	30424
	Decor 544	30426
	Decor 545	30428
	Decor 555	30430
	Decor 556	30432
	Decor 557	30434

Fixing clip

Article 8602/C	
Without holes	
Spring Steel	




Inside corner

	Article	8607/I
Polypropylene		
	Decor 518	30450
	Decor 520	30452
	Decor 524	30454
	Decor 528	30458
	Decor 530	30460
	Decor 531	30462
	Decor 532	30464
	Decor 533	30466
	Decor 534	30468
	Decor 536	30470
	Decor 540	30472
	Decor 542	30474
	Decor 544	30476
	Decor 545	30478
	Decor 555	30480
	Decor 556	30482
	Decor 557	30484



Junction


	Article	8607/G
Polypropylene		
	Decor 518	30550
	Decor 520	30552
	Decor 524	30554
	Decor 528	30558
	Decor 530	30560
	Decor 531	30562
	Decor 532	30564
	Decor 533	30566
	Decor 534	30568
	Decor 536	30570
	Decor 540	30572
	Decor 542	30574
	Decor 544	30576
	Decor 545	30578
	Decor 555	30580
	Decor 556	30582
	Decor 557	30584

Outside corner

	Article	8607/E
	Polypropylene	
	Decor 518	30500
	Decor 520	30502
	Decor 524	30504
	Decor 528	30508
	Decor 530	30510
	Decor 531	30512
	Decor 532	30514
	Decor 533	30516
	Decor 534	30518
	Decor 536	30520
	Decor 540	30522
	Decor 542	30524
	Decor 544	30526
	Decor 545	30528
	Decor 555	30530
	Decor 556	30532
	Decor 557	30534


Right/Left end cap

	Article	8607/P
	Polypropylene	
	Decor 518	30600
	Decor 520	30602
	Decor 524	30604
	Decor 528	30608
	Decor 530	30610
	Decor 531	30612
	Decor 532	30614
	Decor 533	30616
	Decor 534	30618
	Decor 536	30620
	Decor 540	30622
	Decor 542	30624
	Decor 544	30626
	Decor 545	30628
	Decor 555	30630
	Decor 556	30632
	Decor 557	30634




Profile

	Article		
		8596	8598
	Length [cm]	250	250
Co-extruded PVC - Foam/Plasticized			
	Decor 518	30800	30850
	Decor 520	30802	30852
	Decor 524	30804	30854
	Decor 528	30808	30858
	Decor 530	30810	30860
	Decor 531	30812	30862
	Decor 532	30814	30864
	Decor 533	30816	30866
	Decor 534	30818	30868
	Decor 536	30820	30870
	Decor 540	30822	30872
	Decor 542	30824	30874
	Decor 544	30826	30876
	Decor 545	30828	30878
	Decor 555	30830	30880
	Decor 556	30832	30882
	Decor 557	30834	30884




Profile

Article 8580		
Length [cm] 250		
PVC Foam		
	Decor 518	30750
	Decor 520	30752
	Decor 524	30754
	Decor 528	30758
	Decor 530	30760
	Decor 531	30762
	Decor 532	30764
	Decor 533	30766
	Decor 534	30768
	Decor 536	30770
	Decor 540	30772
	Decor 542	30774
	Decor 544	30776
	Decor 545	30778
	Decor 555	30780
	Decor 556	30782
	Decor 557	30784



Profile

Article 8582		
Length [cm] 250		
PVC Foam		
	Decor 518	30700
	Decor 520	30702
	Decor 524	30704
	Decor 528	30708
	Decor 530	30710
	Decor 531	30712
	Decor 532	30714
	Decor 533	30716
	Decor 534	30718
	Decor 536	30720
	Decor 540	30722
	Decor 542	30724
	Decor 544	30726
	Decor 545	30728
	Decor 555	30730
	Decor 556	30732
	Decor 557	30734



Profile

	Article	8606
	Length [cm]	270
Co-estruded PVC - Rigid/Plasticized		
	Decor 525	95306
	Decor 530	95304
	Decor 531	95300
	Decor 533	95302
	Decor 534	95308
	Decor 542	95310

Kit accessories

	Article	8606/K
Polypropylene		
	Decor 525	95322
	Decor 530	95320
	Decor 531	95316
	Decor 533	95318
	Decor 534	95324
	Decor 542	95326