



ThinRibbon



ThinRibbonwoodenslatpanelwiththeuniquedesignthatyoucanseethepatternofthewoodgraingoingoveroneormoreslatsmeansthatyougetarealwoodfeelingintheroomyouputthepanelin. Thepatternofthewoodtogetherwiththenarrowgroovesbetweenthewoodenslatsgivesthisacousticpanelaharmoniousfeeling. OuracousticfeltRecoSilentasabasealsomakestheenvironmentwhereitisplacedquieter. Withalowweightof1.8kg/sqm andonly6mmthick, thiswoodenslatpaneloffersmanyadvantagesinhandling, assembly, transportetc. TheflexibilityoftheacousticpanelThinRibbonisoutstandingwhenitcomestoflexibilityastheveneersitsdirectlyontheacousticfelt, thethinprofilemeansthatitfitsperfectlyagainstdoorandfloormoldingswithoutgoingoutsideandnoextraadaptationswhenitcomestocontacts, switches, etc. OurstandardrangeofferstheThinRibbonpanelsintwodifferentwoodenslatwidths.

THINRIBBON

Ribbon-WoodispartoftheWallsystemsbyGlimakraofSwedenproductportfolio. WeareaSwedishcompanywithvalue-drivingfactorssuchasScandinavianacousticdesign, greaterflexibilityandhigherquality. Basedonthese, wecreatefavorablesoundlandscapesfordifferenttypesofenvironments. Withbroadknowledgeandlongexperience, wedevelopandmanufactureproductsinourownfactoriesinGlimåkraandTranås. WearethelargestinSwedeninwoodveneerandthroughanongoingcollaborationwithseveralprominentdesigners, wearealwaysattheforefrontwhenitcomestoacousticdesign.

INFORMATION

Surfacelayer	0.6mmFSCcertifiedveneer.
Surfacetreatment	Lacqueredoruntreated.
Acousticfelt	BlackRecoSilent(RS), 5.4mmrecycledPET.
Thickness	6mm.
Sizes	2400x523mmor2800x523mm. Cancutforsurcharge.
Assembly	Staplegunorglued(0.5/panel)aswellaswith/ withoutdouble-sidedtapeeasilyinplace.
Manufacturing	TranåsandVittaryd.

SUSTAINABILITY

Ribbon-WoodusesonlywoodforveneersfromsustainablymanagedforestsinaccordancewiththeFSC'sguidelines. TheproductmeetsMöbelfakta'srequirementsfortheenvironmentandresponsiblesupplychains.

PRESCRIPTIONTEXT

ThinRibbon, ClassicOakblackRecoSilent, 2400x522mm




FIREPROPERTIES

Standardrange:	
Acousticfelt	B-s1,d0
Woodenslats	D-s2,d0
Varnish	D-s2,d0

PatentPending:23215913.7



DIMENSIONS



ThinRibbon

Wall

OURSTANDARDRANGE



ClassicOak23mm
RSblack



ClassicOak48mm
RSblack



DiamondOak23mm
RSblack



DiamondOak48mm
RSblack



Walnut23mm
RSblack



Walnut48mm
RSblack



DiamondWalnut23mm,
RSblack



DiamondWalnut48mm,
RSblack

ACCESSORIES



ThinRibbonStaplegun



ThinRibbonStaples



ThinRibbonDouble-sidedtape



ThinRibbonKnife



ThinRibbonBladetoKnife



ThinRibbonRuler



ThinRibbonGlue

